STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE RCM OF WASHINGTON WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION PRÉFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL (X5) COMPLETE (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) TAG TAG DATE DEFICIENCY) 1000 INITIAL COMMENTS Maintenance was notified on 5/18/10 1000 5/18/10 that the sink appeared to be leaking. A re-licensure survey was conducted on Upon observation it was discovered 5/18/2010. Six males with varying degrees of that the garbage disposal was causing disabilities reside in the GHMRP. Three of the six residents were selected for the survey the leak. The maintenance sample. The findings of the survey were based department immediately purchased on observations at the group home, interviews the part to repair the leak and the with the GHMRP's staff, and the review of problem was resolved. Since the GHMRP's records including the incident reports. repair the area has been checked on a 1090 3504.1 HOUSEKEEPING daily basis and no other leakage has 1090 been noted. In the future the House The interior and exterior of each GHMRP shall be Manager will ensure that routine maintained in a safe, clean, orderly, attractive, checks occur under the sink to ensure and sanitary manner and be free of accumulations of dirt, rubbish, and objectionable that the kitchen sink is maintained odors. without needed repairs. This Statute is not met as evidenced by: Herewer 8/3/10 SOHHPUR-1CAD Based on observation and staff interview, the GHMRP failed to ensure the maintenance of a safe, clean, orderly, attractive and sanitary environment to ensure the health and safety of its six residents. The findings include: During the environmental inspection on 5/18/2010 at 10:20 a.m., the plumbing in the kitchen sink began to leak. The water filled the lower cabinets and out on to the kitchen floor. The GHMRP's maintenance was called out to the home and his inspection revealed a problem with the connection between the garbage disposal and the drainage pipes. Later on at approximately 3:30 p.m. in the afternoon, the piping in the kitchen sink began to leak again. interview with the GHMRP 's maintenance staff Health Regulation Administration

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

Health Regulation Administration

TITLE

(XB) DATE

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION (X3) DATE SURVEY IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE RCM OF WASHINGTON WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX (X5) COMPLETE (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE PREFIX TAG REGULATORY OR LSC IDENTIFYING INFORMATION) TAG DATE DEFICIENCY) 1090 Continued From page 1 1090 The area under the cabinet was 5/19/1 on the same day at approximately 11:30 a.m., cleaned and disinfected with a bleach revealed the piping below the sink was a 10 base solution to prevent mold recurring problem and that he would have to accumulation. reassess the problem to find a permanent solution. Interview with the GHMRP's House All cleaning and chemical agents Manager on the same day at approximately 4:40 have been removed and put in a p.m. confirmed the drainage system for the locked cabinet in the laundry room. kitchen sink was a recurring problem and that they are working to find a solution. Staff has been in-serviced on the proper storage of cleaning agent to 1 096 3504.7 HOUSEKEEPING ensure continued compliance. 1096 No poisonous or hazardous agent shall be stored in a food preparation, storage or serving area. This Statute is not met as evidenced by: Based on observation and staff interview, the group home for the mentally retarded person 's (GHMRP) failed to ensure no poisonous or hazardous agents were being stored in the kitchen. The finding includes: During the environmental inspection on 5/18/2010, at 10:25 a.m., several bottles of oven cleaner, surface cleaners and bug sprays were being stored in the cabinet below the kitchen sink. Interview with the GHMRP 's House Manager on the same day at approximately 10:26 a.m., confirmed the kitchen should remain free of any chemical agents. The HM further added, she would retrain staff to ensure they understand that no chemical agents should be stored in the kitchen. Health Regulation Administration

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL (X5) COMPLETE PREFIX PREFIX (EACH CORRECTIVE ACTION SHOULD BE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG CROSS-REFERENCED TO THE APPROPRIATE TAG DATE DEFICIENCY) I 180 Continued From page 2 1180 1. Staff has been trained in first aid 6/30/10 1 180 3508.1 ADMINISTRATIVE SUPPORT and CPR. All certifications are now 1180 current and can be found in each staff Each GHMRP shall provide adequate permanent records. administrative support to efficiently meel the 2. The DDS Service Coordinators are needs of the residents as required by their Habilitation plans. now responsible for writing the ISPs and are the point of contact for the This Statute is not met as evidenced by: finalized assessments to be triaged Based on observation, staff interview and record review, the group home for the mentally retarded through prior to them being placed in person 's (GHMRP) qualified mental retardation the individual's ISP's. The DDS professional (QMRP) failed to ensure the Service Coordinator has been coordination of services to promote the health contacted regarding placing and safety of two of three sampled residents. [Residents #1 and #2] assessments with electronic signatures in the individual's ISPs. All The findings include: consultants have been notified to re-The QMRP failed to ensure all currently submit their assessment with their employed staff had a valid first aid or handwritten signatures. Once cardiopulmonary resuscitation (CPR) received they will be placed in each certifications on file. [See 3510.5] lindividual's records. The QMRP failed to ensure all documents 3. The RN has since in-service staff presented as part of a resident's habilitation plan on each individual's feeding protocol. were submitted into record with a valid signature The Nutritionist has been contacted to and date. [See 3514.2] review and update all protocols and The QMRP failed to ensure all residents will train staff after completion. received their medications in the form outlined in 4. Staff has been in-service on all their feeding protocols. [See 3520.2(e) mealtime protocols. In the future staff will be observed during mealtime to 4. The QMRP failed to ensure all residents was provided the measure of support outlined on ensure they are following all their mealtime feeding protocols. [See 3523.1] protocols. 1227 3510.5(d) STAFF TRAINING 1227 Each training program shall include, but not be limited to, the following:

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE RCM OF WASHINGTON WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (EACH CORRECTIVE ACTION SHOULD BE PREFIX COMPLETE DATE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG DEFICIENCY) 1 227 Continued From page 3 1227 All staff now have current first aid 6/30/10 and CPR certifications and can now (d) Emergency procedures including first aid, be found in their files. In the future cardiopulmonary resuscitation (OPR), the Heimlich maneuver, disaster plans and fire the Support Coordinator and House evacuation plans: Manager will check the records on a regular basis to ensure that certifications are updated prior to This Statute is not met as evidenced by: Based on record review and staff interview, the there expiration date. group home for the mentally retarded person (GHMRP) failed to ensure all staff was currently certified to perform first aid and cardiopulmonary resuscitation (CPR) procedures as required by this section for six of fifteen staff. [Staffs #3, #5. #6, #9, #10 and #11] The finding includes: Record review and interview with the GHMRP's qualified mental retardation professional (QMRP) and the house manager (HM) on 5/18/2010, at approximately 5:30 p.m. revealed there was no evidence on file to substantiate that six out of fifteen staff ware certified to perform first aid and CPR procedures. 1291 3514.2 RESIDENT RECORDS 1291 Each record shall be kept current, dated, and signed by each individual who makes an entry. This Statute is not met as evidenced by: Based on record review and staff interview, the group home for the mentally retarded person (GHMRP) failed to ensure all individual program plans filed into a resident 's habilitation record was signed and dated by the consultant who drafted the assessment for one of three sampled residents. [Resident #2]

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION m PRÉFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL (X5) COMPLETE PREFIX (EACH CORRECTIVE ACTION SHOULD BE TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG DATE DEFICIENCY) 1 291 Continued From page 4 1291 All assessments have now been 6/30/10 The finding includes: replaced with assessments with valid handwritten signatures and dates. The facility failed to ensure all entries into a The Support Coordinator has replaced resident 's record was validated by signature individual's #2 assessments with a and/or date. An example of the deficient practice is provided below: signed and dated assessment. In the future the Support Coordinator will Record review on 5/18/2010, at approximately work closely with DDS Service 2:20 p.m. revealed, Resident #2 's Jan-March 2010 Psychological assessment was neither Coordinator to ensure that all signed nor dated by the consultant who drafted assessments are signed and dated by the document. the consultants as well as to ensuring Interview with the GHMRP 's qualified mental. that all assessments are not submitted retardation professional (QMRP), the house with electronic signatures. manager (HM) and the GHMRP 's nurse on the All assessments have now been same day at approximately 2:25 p.m. confirmed replaced with assessments with valid several of the consultant 's assessments were being submitted without a valid signature or date. handwritten signatures and dates. 1 395 3520.2(e) PROFESSION SERVICES: GENERAL 1395 **PROVISIONS** Each GHMRP shall have available qualified professional staff to carry out and monitor necessary professional interventions, in accordance with the goals and objectives of every individual habilitation plan, as determined to be necessary by the interdisciplinary team. The professional services may include, but not be limited to, those services provided by individuals trained, qualified, and licensed as required by District of Columbia law in the following disciplines or areas of services: (e) Nursing: This Statute is not met as evidenced by: Based on observation, staff interview and record review, the group home for the mentally retarded

**RS7F11** 

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 (X4) ID SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE PRÉFIX . (EACH DEFICIENCY MUST BE PRECEDED BY FULL **PREFIX** TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG DATE DEFICIENCY 1395 Continued From page 5 1395 The cited nurse has been in-serviced 5/19/10 persons (GHMRP) failed to ensure its nursing by the director of nursing regarding all staff correctly implemented the prescribed aspects of medication administration. medication orders and the proactive strategies The nurse also received counseling outlined in a resident 's habilitation record for two of three sampled residents. [Residents #1 and regarding her medication #3] administration techniques that resulted in these citations. Coupled with the The findings include: cited nurse being counseled all nursed The GHMRP 's nurse failed to administer in the home has also been trained to medications in accordance with the physician 's ensure that everyone is administrating orders as evidenced below: medications per the Physician Orders, Observation on 5/18/2010, at 8:15 a.m. medication policies, and feeding revealed, the attending nurse filled a small protocols. In the future, the DON will measurement cup with Tegretol to administer to monitor medication administration at Resident #3 for his morning medications. Just least once weekly to ensure that before she administered the medication, this surveyor requested that she check the amount medication administration protocols that was poured. Upon further inspection, she are being implemented as prescribed. confirmed approximately 35cc of Tegretol was poured because it overflowed the 30cc mark and filled the small measuring cup to the rim. The attending nurse further confirmed that she over poured the Tegretol because she wanted to account for the "bubbles" that foam up when the medication is poured. The nurse then poured out the excess medication into the sink at the nursing station Review of Resident #3 's 5/1/2010 Physician Order Sheets (POS) at approximately 8:45 a.m., revealed the prescribed dosage of Tegretol was 30cc. Observation on 5/18/2010 at 8:15 a.m., revealed the attending nurse poured 20cc of Atarax into a small measuring cup to administer to Resident #3. Upon further inspection, she confirmed via the medication administration

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION (X3) DATE SURVEY **IDENTIFICATION NUMBER:** COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE RCM OF WASHINGTON WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (X5)(EACH CORRECTIVE ACTION SHOULD BE **PREFIX** TAG REGULATORY OR LSC IDENTIFYING INFORMATION) COMPLETE TAG CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY 1395 Continued From page 6 1395 New medication cups have been 5/19/10 record, that the dosage should have been 12.5cc. ordered and are now being used. The new cups are easier to read. Dosage Review of Resident #3 's 5/1/2010 Physician amounts are clearly labeled and easier Order Sheets (POS) at approximately 8:45 a.m., revealed the prescribed dosage of Atarax was for one to measure. (see attached 12.5cc. picture of the new medication cup) Observation on 5/18/2010 at 7:52 a.m., C. revealed the attending nurse administered 50 mg of Synthroid to Resident #5. Interview with the attending nurse and review of Resident #5 's Physician Örder Sheets (POS) on the same day and time confirmed. Resident #5 's Synthroid was prescribed as " take 1 tab at bedtime by mouth ". The GHMRP 's nurse failed to correctly implement the resident 's feeding protocols as evidenced below: Observation on 5/18/2010, at 7:40 a.m. revealed, the attending nurse provided Resident #2 his medications with approximately 6-8oz of juice in a small Styrofoam cup. She allowed Resident #2 to hold his cup and drink his Juice after ingesting his medications. While he drank his juice, he coughed slightly but was able to finish. On his last gulp, he began a series of loud, gurgle sounding coughs. His eyes slightly watered during the short coughing episode. The attending nurse patted him slightly on his back and indicated that he obviously consumed his drink too fast. A quick interview with the nurse at the same date and time revealed Resident #2 generally is a fast drinker. Record review on the same day at 2:33 p.m. revealed Resident #2 's Mealtime Feeding Protocol dated 1/7/2009 revealed the following:

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION (X3) DATE SURVEY IDENTIFICATION NUMBER COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE RCM OF WASHINGTON WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (X5) PREFIX (EACH CORRECTIVE ACTION SHOULD BE REGULATORY OR LSC (DENTIFYING INFORMATION) TAG COMPLETE CROSS-REFERENCED TO THE APPROPRIATE TAG DATE **DEFICIENCY**) 1395 Continued From page 7 1395 The Director of Nursing has completed 5/19/10 a thorough training with all nurses in " It is very important that [Resident #2] drinks the home on G-Tube feeding. G-Tube from a cup with a small opening (to restrict flow of feeding will be observed by the liquids) since he has a tendency to gulp liquids while extending his head back. This causes him Director of Nursing on a daily basis to to cough when drinking from a regular cup. " ensure that the feeding is being completed as ordered and to ensure that b. Observation on 5/18/2010, at 8:15 a.m. the individual is safely being revealed, the attending nurse opened the small administered his feedings. The cited medication capsule of Prilosec (20mcg) and poured the contents into a small crusher. After nurse has been counseled on her she crushed the small beads of Prilosec she feeding practices and the counseling poured it into a small measuring cup and mixed it papers can be found in her permanent with approximately 5cc of water. records. At the start of her administering Resident #3 his medications, she reached under his shirt and pulled out his G-Tube to check for residuals. After the residual 's check, she began to administer the morning medications by first pouring the mixture of Prilosec and water into the plastic syringe she attached to the end of the G-Tube. The mixture had a difficult time going down the G-Tube. She shook the syringe slightly and the mixture started to slowly run down the line. At this point, she poured 5 ml of Vitamin C into the syringe and then poured 5cc of Thera liquid into the syringe to continue on with administering the medications. All of the Thera liquid did not pour out, so the nurse poured water into the small measuring cup and then poured it into the synnge in effort of administering as much of the Thera liquid as possible. She repeated that step twice more. Once that grouping of medications made its way down the G-Tube, she continued with administering the rest of the medications Record review on the same day at approximately 8:30 a.m., revealed Resident #2 's G-Tube

STATEMENT OF DEFICIENCIES (X1) PRDVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PRÉFIX (EACH CORRECTIVE ACTION SHOULD BE **PREFIX** COMPLETE REGULATORY OR LSC IDENTIFYING INFORMATION) TAG CROSS-REFERENCED TO THE APPROPRIATE TAG DATE **DEFICIENCY** 1395 Continued From page 8 1395 All nurses in the home have been 5/19/10 medication administration protocol dated trained and will continue to be trained 12/30/2008 prescribed the following intervention: on a regular basis on medication administration by the Director of " The basic procedure ... Nursing. Trainings and medication Measure 60 cc of water into a measuring 1) administration observations will occur cup. weekly for one month to ensure 2) Prepare the required amount of medication. compliance with the physician orders, Uncap the G-tube and check for placement 3) of the G-tube as instructed above. medication protocols and policies as Check for stomach residual as instructed well as the feeding protocols of all of above and follow the instructions for less than or the individuals. An intense training on more than 60 cc residual. Pour half the water into the syringe to flush measuring medications prior to the tube. administration has been completed by Pour the medication into the syringe. 6) the Director of Nursing. Pour the remaining water to flush the tube. If you give more than one medication at the same time: Have 60 cc of water ready in a measuring cup. Flush the tube with 10 cc of water - give medication - flush with another 10 cc of water give next medication - flush with 10cc water, and so on and flush with 60 cc of water after all medication. Do not mix liquid medications together to administer them. Give water, then the first medication, then water, then the second medication, then water. The rule is to give water first and last, and between different items. Always flush the tube with plain water after all other items have been administered. " Interview with the attending nurse on the same day at approximately 8:55 a.m., confirmed she failed to alternate water with the administration of each of the first three medications and also failed

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION AND PLAN OF CORRECTION (X3) DATE SURVEY IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX PREFIX (EACH CORRECTIVE ACTION SHOULD BE REGULATORY OR LSC IDENTIFYING INFORMATION) COMPLETE TAG TAG CROSS-REFERENCED TO THE APPROPRIATE DATE DEFICIENCY) 1395 Continued From page 9 1395 The Behavior Specialist and 6/30/10 to measure 10 cc per flush in between the Psychologist have been contacted remaining medications. regarding this citation. A formal protocol has now been developed after 1 401 3520.3 PROFESSION SERVICES: GENERAL 1401 the review of the documentation **PROVISIONS** regarding this behavior. The protocol Professional services shall include both diagnosis is now in place and the staff has been and evaluation, including identification of trained on the 'Proactive Protocol'. developmental levels and needs, treatment Staff will be monitored on an ongoing services, and services designed to prevent basis to ensure that the protocol is deterioration or further loss of function by the resident. being implemented as written. This Statute is not met as evidenced by: Based on record review and staff interview, the group home for the mentally retarded person (GHMRP) failed to provide evidence that assessments to address a client 's " deliberate regurgitation " was completed for one of three sampled residents. [Resident #2] The finding includes: The GHMRP failed to ensure the creation of a Proactive Strategy/Behavior Support Plan to manage a resident 's "deliberate regurgitation" as recommended in Resident #2 's 6/15/2009 Baseline Summary Note written by the attending Psychologist as evidenced below: Observation on 5/18/2010 beginning at approximately 3:00 p.m., Resident #2 was observed sticking his hand/fingers into his mouth repeatedly on several occasions. Record review on 5/18/2010 at 3:21 p.m. revealed Resident #2 's Baseline Summary Note provided the following assessment: " During the course of visits to [Resident #2 's]

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PREFIX PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) TAG CROSS-REFERENCED TO THE APPROPRIATE TAG DATE DEFICIENCY) 1401 Continued From page 10 1401 The Behavior Specialist and 6/30/10 home made by this consultant, the Designated Psychologist have been contacted Nurse (DN), and members of his direct care team regarding this citation. A formal raised the issue of his apparent deliberate protocol has now been developed after regurgitation ... the review of the documentation A baseline data collection sheet was developed regarding this behavior. The protocol and staff members were advised on its use. is now in place and the staff has been Between February 21 and April 9, 2009, 15 trained on the 'Proactive Protocol'. incidents were documented ... Staff will be monitored on an ongoing When they occurred, some staff members basis to ensure that the protocol is verbally intervened, directing him to stop while being implemented as written. others supplemented the verbal direction with a change in activity or area. The latter form or intervention was the more effective technique. The concern of this consultant was that neither appropriate proactive support nor appropriate intervention had been universally applied ... it appears that a consistent method of discouraging regurgitation is necessary. " Further record review on the same day at 3:23 p.m. revealed Resident #2 's Psychological Assessment dated 12/3/2008 further recommended " the development of a BSP to address [Resident #2 's] tendency to place his hands in his mouth, which frequently results in regurgitation. " Interview with the GHMRP's qualified mental retardation professional (QMRP) on 5/18/2010 at 5:21 p.m. revealed, the " proactive strategy " was not available for review and the creation and implementation of it was still pending. The QMRP further established that she had to communicate with the Psychologist to find out if it was still a valid pursuit. There was no documentation on file at the time of survey to substantiate that the proactive strategy

Health Regulation Administration STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA AND PLAN OF CORRECTION (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY IDENTIFICATION NUMBER COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (EACH CORRECTIVE ACTION SHOULD BE PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) TAG COMPLETE CROSS-REFERENCED TO THE APPROPRIATE TAG DATE DEFICIENCY) 1401 Continued From page 11 1401 Staff has been in-serviced on the 7/1/10 to manage Resident #2 's deliberate importance of remaining by each regurgitation was created as recommended. individual during mealtime. The Nutritionist has also been contacted to 1 422 3521.3 HABILITATION AND TRAINING 1422 conduct an in-service to stress the Each GHMRP shall provide habilitation, training importance of following diet orders and assistance to residents in accordance with and mealtime assistance. The staff the resident 's Individual Habilitation Plan. will continue to be monitored closely This Statute is not met as evidenced by: by the all management team members Based on observation, staff interview and record to ensure that they are adhering to all review, the group home for the mentally retarded mealtime protocols. person (GHMRP) failed to ensure the accurate implementation of resident 's mealtime feeding protocols for one of the three sampled residents. [Resident #2] The finding includes: On 5/18/2010 at during breakfast at 7:23 a.m., and again on the same day at approximately 11:40 a.m.,, Resident #2 was observed eating his meal with no staff intervention. Resident #2 received cream of rice, chopped bacon, a serving of applesauce and a milk in a medium sized spout cup. During breakfast he was observed scooping large spoons of the cream of rice mixed with the bits of bacon into his mouth. He ate at a steady pace, but finished rather quickly. At the end of his meal, he attempted to drink his milk, but unfortunately was drinking out of the wrong side of the cup. A good portion of his milk spilled over his bib and onto the table and on his lap. No staff was attending to him and did not see the difficulty he was having with drinking his milk. As with his lunch, he was allowed to consume his meal with no staff intervention. Record review on the same day at 2:33 p.m. revealed Resident #2 's Mealtime Feeding

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION **IDENTIFICATION NUMBER:** COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PREFIX PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL (EACH CORRECTIVE ACTION SHOULD BE PREFIX REGULATORY OR LSC IDENTIFYING INFORMATION) COMPLETE TAG CROSS-REFERENCED TO THE APPROPRIATE TAG DATE DEFICIENCY 1422 Continued From page 12 1422 All staff have been trained on the 7/1/10 Protocol dated 1/7/2009 provided the following importance of monitoring mealtimes Techniques for Eating and Drinking: and the individuals. They have been instructed to remain at the table until " [Resident #2] should be encouraged to use multiple swallows and alternate drinking and meals have been consumed by each of eating to decrease food residue post swallowing. the individuals. Each individual in the It is very important that [Resident #2] drinks from home are now being directly a cup with a small opening (to restrict flow of monitored during meals in order for liquids) since he has a tendency to gulp liquids while extending his head back. This causes him them to receive intervention from the to cough when drinking from a regular cup ... staff if warranted. Staff should verbally cue [Resident #2] to put less food on his spoon/fork. He should have no more than % of a spoonful of food in his mouth at a time. " Interview with the GHMRP's house manager (HM) and the qualified mental retardation professional (QMRP) revealed they were not aware the staff allowed Resident #2 to eat his meals without any direct intervention. 1473 3522.4 MEDICATIONS 1473 The Residence Director shall report any irregularities in the resident 's drug regimens to the prescribing physician, This Statute is not met as evidenced by: Based on observation, staff interview and record review, the group home for the mentally retarded person (GHMRP) failed to ensure all medication irregularities were reported to the prescribing physician. The finding includes: On 5/18/2010, several medication errors were observed during the administration of the morning medications. At the end of the morning

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVEY AND PLAN OF CORRECTION IDENTIFICATION NUMBER: COMPLETED A. BUILDING B. WING HFD12-0076 05/18/2010 NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE 2510 R STREET SE **RCM OF WASHINGTON** WASHINGTON, DC 20020 SUMMARY STATEMENT OF DEFICIENCIES (X4) ID PROVIDER'S PLAN OF CORRECTION (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (X5)(EACH CORRECTIVE ACTION SHOULD BE PREFIX TAG REGULATORY OR LSC IDENTIFYING INFORMATION) CROSS-REFERENCED TO THE APPROPRIATE TAG DATE DEFICIENCY 1473 Continued From page 13 1473 The Director of Nursing have since 5/19/10 medication pass, the medication administration contacted and met with the record (MAR) and the medical records were prescribing Physician regarding the reviewed. There was no evidence presented or on file at the time of the survey to validate that the medication pass. The Director of prescribing physician was made aware of the Nursing was advised about the most irregularities that transpired during the moming effective course of correction medication pass. [See 3520.2(e)] regarding the medication pass. All recommendations have been implemented. The DON has documented her communication with the physician in her nursing notes. Health Regulation Administration STATE FORM